



Features

- Under Stencil Rolls for PANASONIC Printers
- Prevents smearing, bridging, solder balls, and other problems associated with the stencil printing of solder paste
- Manufactured from a blend of polyester and cellulose fibers
- More paper per roll resulting in less down time, less changeover time, and less inventory required
- Exceptionally low lint levels
- Solvent resistant material results in increased absorption per square inch

PANASONIC Paper Specifications

Test	Orientation	Units	Value	Method
Composition			54% Wood Pulp 46% Polyester White	
Basis Weight		oz/yd ² g/m ²	1.5 50.8	ASTM D3776
Thickness		mils mm	12 .30	ASTM D1777
Grab Tensile Strength	Machine Direction	lb N	28 125	ASTM D5034
	Cross Direction	lb N	16 71	

PANASONIC Stencil Roll Part Numbers

Part Number	Core Type	Core Length	Paper Width	Core ID	Paper Length
EB41P1414	Paper	14"	14"	1.5"	40'
EB41P1414-118	Paper	14"	14"	1.5"	118'
EB41P1616	Paper	16.12"	16"	1.5"	40'
EB41P1616-108	Paper	16.12"	16"	1.5"	108'
EB41P2121	Paper	21.25"	21.25"	1.5"	40'
EB41P2821	Paper	27.50"	21"	1.5"	45'

Dimensional Tolerances:

Core Length: ± 1/16"
 Paper Width: ± 1/8"
 Core ID: + 1/8"
 Paper Length: ± 5%

EasyBraid expressly warrants that for a period of one (1) year from the date of purchase, EasyBraid products will be free of defects in material (parts) and workmanship (labor). Within the warranty period, a unit/product will be tested, repaired or replaced at EasyBraid's option, free of charge.

Specifications and procedures subject to change without notice.

PANASONIC STENCIL ROLLS

11543 K-TEL DRIVE, MINNETONKA, MN 55343
 MIDWEST: (952) 929-3040 | WEST: (909) 627-2453
 WEBSITE: EASYBRAIDCO.COM

DRAWING NUMBER
 PANASONIC

DATE:
 May
 2018

EasyBraid