





PRODUCT NUMBER	PITCH
ASxx00x000JOG	5.08 mm




N=Number of poles

DIMENSION	Dim D	Dim E	Dim P	Dim L
	Poles	Tolerance	Tolerance	Tolerance
Dim L =N×5.08+1.9	2-6P	±0.10	±0.10	+0.15 -0
Dim P =(N+2)×5.08+0.56	7-15P	±0.15	±0.15	+0.20 -0
Dim E =(N+3)×5.08+1.39	16-24P	±0.20	±0.20	+0.30 -0
Dim D =(N+4)×5.08+3.3				



SECTION A-A



Material

● Terminal (housing): Thermoplastic (UL94V-0)

Match with the following series

Pitch 5.08

AS	V8
	●

PART NO.: AS xx 00 x 000JOG

No. of poles	0	Black (RAL9005)	RoHS compliant (lead<4%)
Solid Block	2	Red (RAL3001/D)	In copper Alloy
02 2 poles	3	Orange(RAL2011/P)	
03 3 poles	4	Yellow(RAL1018/A)	
...	5	Green(RAL6018/T)	
24 24 poles	6	Blue (RAL5015/A)	
	8	Grey(RAL7035/D)	
	9	White(RAL1102)	
	C	Green(RAL6018/U)	

mat'l. code		surface ASME Y14.5	tolerance ASME Y14.5	projection	product family
ltr ecn no dr date		tolerances unless otherwise specified		MM	TERMINAL BLOCK
		angles	X.±0.5	scale	title
		fil	X.X±0.3		TERMINAL BLOCK
		X*±1"	X.XX±0.1		ACCESSORIES
		dr	EVIN ZHONG 070814	FCI	dwg no
		enr	EVIN ZHONG 070814		sheet 1 of 1
		chr	HANKE FENG 070814		size
		appd	SHI JUN 070814		A4
sheet index	revision sheet	A	1		type CUSTOMER Drawing